

Course Materials from GAMS 2 Class  
Using **GAMSIDE**

Bruce A. McCarl

Specialist in Applied Optimization  
Professor of Agricultural Economics, Texas A&M  
Principal, McCarl and Associates


[mccarl@tamu.edu](mailto:mccarl@tamu.edu)  
[mccarl@bihs.net](mailto:mccarl@bihs.net)  
[agrinet.tamu.edu/mccarl](http://agrinet.tamu.edu/mccarl)

979-693-5694  
979-845-1706

# Using GAMSIDE What Is It?

**GAMS** -- Generalized Algebraic Modeling System  
+  
**IDE** -- Integrated Development Environment

A Windows graphical interface to run GAMS



A Product of

## GAMS

GAMS Development Corporation  
Software -- Research -- Consulting

1217 Potomac Street N.W.

Washington, DC 20007, U.S.A.

Phone: (202) 342-0180 Fax: (202) 342-0181

Email: [support@gams.com](mailto:support@gams.com)

WWW: <http://www.gams.com>

## Using GAMSIDE How Does it Fit In?

GAMS is used in two phases.

First, one uses a **text editor** and creates a file which contains GAMS instructions.

Second, one **submits that file** to GAMS which executes those instructions causing calculations to be done, solvers to be used and a solution file of the execution results to be created.

Two ways to do this.

Traditional method – use a text editor set up the model then use **DOS (or UNIX)** command line instructions to find errors in and run the model.


The **GAMSIDE** alternative. It is a graphical interface to create, debug, edit and run GAMS files. Here we will cover using the IDE.

## Using GAMSIDE – Getting Started

Summary of steps to using (steps expanded below)

1. Install GAMS and the IDE on your computer making an icon

2. Open the IDE through the icon




3. Create a project by going to the file selection in the upper left corner.
4. Define a project name and location. Put it in a directory you want to use.
5. Create or open an existing file of GAMS instructions
6. Prepare the file so you think it is ready for execution
7. Run the file with GAMS by punching the run button
8. Open and navigate around the output

# Using GAMSIDE Installation


## 1. Install GAMS and IDE making an icon

The GAMSIDE is automatically installed when GAMS is installed. To install do the following steps


- a. Place the GAMS CD into your machine
- b. Start the installation using the Windows Explorer. Do this by going into the systems subdirectory called win then double clicking on setup.exe



- c. Make IDE icon (using explorer point at GAMSide.exe in c:\program files\GAMSide, then with right mouse click create shortcut and place that on desktop)



yielding




# Using GAMSIDE

## Getting Started after Installation

2. Open the IDE through the icon



3. Create a project by going to the file selection in the upper left corner. Select to define a new project (Later you will use your previous projects).




**What is a project?** The GAMSIDE employs a “Project” file for two purposes. First, the project location determines where all saved files are placed (to place files elsewhere use the save as dialogue) and where GAMS looks for files when executing. Second the project saves file names and program options associated with the effort. We recommend that you define a new project every time you wish to change the file storage directory.

# Using GAMSIDE

## Getting Started

4. Define a project name and location. Put it in a directory you want to use. All files associated with this project will be saved in that directory.



In the “File name” area type in a name for the project file you wish to use. If I was doing this, I would go to a suitable subdirectory and create a subdirectory called **useide** and put in the name **useide**. In turn, your project name will be called **useide.gpr** where **gpr** stands for GAMS project.


# Using GAMSIDE

## Getting Started


### 5. Create or open an existing file of GAMS instructions

Several cases are possible

- Create a new file (covered later)
- Open an existing file



- Open a model library file (the simplest at this stage and the one we will use)



Select a model like transport

Name +	Application Area	Type	Contributor	Description
TRAFFIC	Management Science and OR	MCP	Ferris	Traffic Equilibrium I
TRANSMCP	Management Science and OR	MCP	Dantzig	Transportation Mo
TRANSPORT	Management Science and OR	LP	Dantzig	A Transportation P
TSP1	Recreational Models	MIP	Kalvelagen	Traveling Salesma


It will be automatically saved in your project file

# Using GAMSIDE

## Getting Started




### 6. Prepare the file so you think it is ready for execution

When using model library **transport.gms** should now appear as part of your IDE screen



The IDE contains a full featured editor. Go through the file and change what you want.


Do a little housekeeping. Use the options dialog under file to set the output page length to 9999 and under the execute dialog check the box update process window




# Using GAMSIDE

## Getting Started

### 7. Run the file with GAMS by punching the run button




The so called process window will then appear which gives a log of the steps GAMS goes through in running the model and your model will run



# Using GAMSIDE

## Getting Started

### 8. Open and navigate around the output




By double clicking on lines in the process window you can access program output both in general and at particular locations. The positioning of your access is determined by the color of the line you click on

Color of Line in Process Window	Function and Destination When Double Clicked
<b>Blue line</b>	Opens LST file and jumps to line in LST file corresponding to bolded line in Process file
Non bolded black line	Opens LST file and jumps to location of nearest Bolded Line
<b>Red line</b>	Identifies errors in source file. Cursor Jumps to Source ( <b>GMS</b> ) file location of error. Error description text in process window and in LST file which is not automatically opened.

# Using GAMSIDE Getting Started

## 8. Open and navigate around the output

After double-clicking on any non red line, our main editing window is augmented by the LST file (see the tabs)



The screenshot shows the Gamside IDE interface. The main window displays the output of a GAMS model execution. The output includes execution time (0.330 SECONDS), memory usage (1.4 Mb), and the model name (TRANSPORT.LST). The solver summary window is open, showing the following information:

```
EXECUTION TIME = 0.330 SECONDS 1.4 Mb WIN-15
GAMS 2.50D Windows NT/95/98 04/09/00 07:01
A Transportation Problem (TRANSPORT,SEQ=1)

          S O L V E      S U M M A R Y

MODEL    transport      OBJECTIVE  z
TYPE     LP              DIRECTION MINIMIZE
SOLVER   BDMLP          FROM LINE  67

**** SOLVER STATUS 1 NORMAL COMPLETION
**** MODEL STATUS  1 OPTIMAL
```

The solver summary window also shows the following information:

```
BDMLP 1.1 Jan 24,
Reading data...
Work space allocated

Iter   Sinf/Obje
  1    2.2500000
  4    1.5367500
SOLVER STATUS: 1 NOR
MODEL STATUS : 1 OPT
OBJECTIVE VALUE
--- Restarting execut
--- TRANSPORT.GMS (67)
--- Reading solution :
```

We can navigate as we would with an editor or word processor, as we are automatically in the IDE text editor. The file is frequently partially obscured by the process window. **Is yours?** You might want to narrow the process window to the side as in the picture above.

Clicking at different points in the process window will cause you to be positioned at the line associated with the nearest blue line.


# Using GAMSIDE

## Working with your own file


Now you are ready to work with your own files. You may already have a file or you may need to create one.

### Creating a new file - Two principal ways

1. Open existing file and with **save as** dialogue from **file** menu change it's name. Now modify contents to what you want. You may cut and paste as in other Windows programs.
2. Open the **file** menu and use the **new** option. You will then get a file called noname which you may type GAMS instructions into



Save that file with whatever name you want. Note by default it will be assigned the extension .gms




# Using GAMSIDE

## Fixing Compilation Errors (tranerr.gms)

No one is perfect, errors occur in everyone's GAMS coding. The IDE can help you in finding and fixing those errors.

Let's use the example `tranerr.gms` to illustrate. A run of it yields the process window



```
JOE No active process
tranerr
GAMS 2.50.094 Copyright (C) 1988-1998 GAMS
Licensee: Demonstration Copy of GAMS 2.50
          GAMS Development, USA, 202-342-0
--- Starting compilation
--- TRANERR.GMS(0) 138 Kb
*** Error 120 in C:\GAMS\ADVCLASS\CLASS\EX.
Unknown identifier entered as set
--- TRANERR.GMS(33) 138 Kb 1 Errors
*** Error 140 in C:\GAMS\ADVCLASS\CLASS\EX.
Unknown symbol
*** Error 109 in C:\GAMS\ADVCLASS\CLASS\EX.
Identifier/Element too long
*** Error 120 in C:\GAMS\ADVCLASS\CLASS\EX.
Unknown identifier entered as set
*** Error 340 in C:\GAMS\ADVCLASS\CLASS\EX.
A label/element with the same name exi:
Compilation error(s)
Close Save Clean log
```

The red lines mark errors. To see where the errors occurred double-click on the top one.

## Using GAMSIDE – Fixing Compilation Errors (tranerr.gms)

```
IDE c:\gams\advclass\class\example\useide\tranerr.gms
tranerr.gms

Parameters
  Supply(Source)  Supply at each source plant
                  /seattle 350, "san diego" 600 /
  Need(Destinatn) Amount needed at each marke
                  /"new york" 325, chicago 300, topek

Table distance(Sorce, Destinatn)  distance in t
                                "new york"  chicago  t
  seattle                        2.5          1.7
  "San diego"                    2.5          1.8

Scalar
  prmilecst  freight cost in $ per case per 1
  loadcost   freight loading cost in $ per ca

*** Error 120 in C:\GAMS\ADVCLASS\CLAS:
Unknown identifier entered as set
--- TRANERR.GMS(33) 138 Kb 1 Errors
*** Error 140 in C:\GAMS\ADVCLASS\CLAS:
Unknown symbol
*** Error 109 in C:\GAMS\ADVCLASS\CLAS:
Identifier/Element too long
*** Error 120 in C:\GAMS\ADVCLASS\CLAS:
Unknown identifier entered as set
*** Error 340 in C:\GAMS\ADVCLASS\CLAS:
A label/element with the same name

Compilation error(s)
Close Save Clean log
```

A double-click **takes you to the place in the source where the error was made.**  
The tip here is **always start at the top of the process file when doing this.**

# Using GAMSIDE

## Ways to find and/or replace text strings.

For finding two dialogs can be used

The fundamental ones involve use of the **flashlight** and **search windows**



Type the text string target you are after in the widow

Hitting the  finds the first occurrence of what you want in the **current file**

Hitting the  finds the next occurrence of what you want in the **current file**

Hitting the  finds all occurrences in a specified group of files

You can also access **search** and **replace** through the **search menu**. That dialogue gives more options, but only searches or replaces within the current file


# Using GAMSIDE

## Matching Parentheses

(transport.gms)

The IDE provides you with a way of checking on how the **parentheses match up** in your GAMS code. This involves usage of the symbol  from the menu bar coupled with appropriate cursor positioning.

Suppose we have a line of GAMS code like



Positioning the cursor right after the beginning parentheses and tapping the symbol will lead you to the beginning parentheses whether it be 1, 100, or 1000+ lines away and vice versa.

---

```
cost ..      z =e= sum((i,j), c(i,j)*x(i,j))|;
```


This feature will also match up { } or [ ]

# Using GAMSIDE


## Find in files

Under the find the IDE contains a useful find in files option

When you open it at the bottom you find



In using this a double click in path lets you browse for a path. The token is the item to search. After a search you get



Clicking on red brings up file. Clicking on black opens file to the particular line

# Using GAMSIDE

## Moving Blocks

The IDE allows one to move blocks of text through standard Windows Cut and Paste Operations in two fashions.

1. One can identify a continuous block of text with the mouse or the keyboard (the latter involves putting the cursor at a beginning point then hold the shift key down and use the arrow keys).
2. One can identify a column block of text with the mouse or the keyboard (these involve holding **alt and shift down** then moving the mouse or the cursor with the arrow keys).

---

```
Table d(i,j) distance in thousands of miles
      new-york  chicago  topeka
seattle      2.5      1.7      1.8
san-diego    2.5      1.8      1.4 ;
```

In turn copy, cut, and paste can be done with the Edit menu or with control c, x and v respectively as in normal windows. Control insert also paste's . The Help

# Using GAMSIDE


## Syntax Coloring

A brand new feature in the most recent IDE is syntax coloring. The IDE recognizes a subset of the GAMS syntax and reflects this in the display colors. Note in the display below that commands, explanatory text and set elements are differentially colored.

---

```
Sets      i  canning plants  / seattle, san-diego /
Parameters a(i) capacity of plant i in cases
              / seattle      350 san-diego    600 /
Variables x(i,j) shipment quantities in cases
              z      total transportation costs in thousands of dollars ;
Positive Variable x ;
Equations cost      define objective function
              supply(i) observe supply limit at plant i;
cost ..      z =e= sum((i,j), c(i,j)*x(i,j)) ;
Model transport /all/ ;
Solve transport using lp minimizing z ;
Display x.l, x.m ;
```


One can alter these syntax colors (as I have) through choices on the options menu under the colors tag




# Using GAMSIDE – Finding out more

## Use the Help

Choose help and you get



Which contains such things as




Read it throughly.

# Using GAMSIDE


## Accessing documentation on GAMS through the IDE.

The GAMSIDE has a tie in to documentation. In particular suppose we wish to know about a particular item and there happens to be a file on that item. For example suppose we are going to use GAMSCHK

If we choose help



we get



# Using GAMSIDE

## Accessing documentation on GAMS through the IDE.

In fact using the docs directory associated with this file allows us to get any of the following



```
gams ▶
solvers ▶
appmain.htm
bdmlp.pdf
command.htm
commands.htm
conopt.pdf
cplex.pdf
dicopt.pdf
gams.pdf
gams2csv.htm
gams2tbl.htm
gamsbas.pdf
gamschk.pdf
gnuplot.htm
gnupltxy.pdf
inclib.pck
latex.zip
matlab.htm
miles.pdf
minos.pdf
minos5.pdf
osl.pdf
path.pdf
pyt.htm
restart.pdf
save.pdf
sensi.pdf
sslink.htm
tips.pdf
xa.pdf
xldoc.htm
xlink.exe
xramsey.zip
```

or what ever in the **docs** directory under where the GAMS system is kept

## Using GAMSIDE


### Accessing documentation on GAMS through the IDE.

The files used are those in the **docs** directory that were created for this installation. You can add more. Any file with a pdf or html extension will work if you add it to **c:\program files\GAMSide\docs**.

Try selecting the following



In turn you get the GAMS Users Guide




## Using GAMSIDE

### A difficulty you will have

When using and teaching the IDE, I find that IDE project location in interaction with file placement gives me and my students fits. I have a rule of thumb to avoid problems, but you will inadvertently not follow it.

**Make sure that you are working on files located in the same directory location as the project is located.**

You do not have to follow this rule but deviations are the same as asking for trouble. When GAMS executes a file in a different directory it will not look for options files, GCK files, include files etc where you are pointing and logically expect them to be. **GAMS will look in the directory where the project is located.**



Another rule of thumb - **Whenever you need to work in a new directory define a new project**

## Using GAMSIDE Command Line Parameters

Experienced DOS or UNIX based GAMS users are used to having command line parameters associated with their GAMS execution commands. In the IDE a box is available just to the right of the execute button where we can associate a set of execution time parameters with a file and the IDE will remember these whenever the file is opened in this project.



The IDE saves this file specific parameter information in the project file. This is particularly useful for save and restart parameters as once they are defined they are associated with every subsequent use of the file provided you're using the right project and have not changed the restart information.

## Using GAMSIDE

### When is it Not Worth Using?

There are costs and benefits of these approaches.

The IDE is much easier for simple models but is currently limited to PCs.

The DOS/command line approach is generally better for models in customized environments. Saves and restarts can also be difficult.

A **development strategy** for more complex implementations

- A. Use the IDE to get it right
- B. Debug components of large models using save and restart
- C. Then use DOS/UNIX with batch files such as

```
GAMS mymodel -codex 1 -lo 0 -s ./t/save1  
call myprogram.exe  
GAMS moremod -lo 0 -r ./t/save1
```